TECHNICAL INFORMATION

Hydrocarbures, C9, 64742-95-6

64742-82-1

aromatic substance.

aromatics (2-25%)

Hydrocarbons, C9-12, n-

alkanes, isoalkanes, cyclics,



PS Envirowall Ltd

			SPS EIIVII			
	acc	ording	•	ata Sheet 107/2006 - Art	clie 31	
ISO No	5003			Version 2	Date prepared:	February 2022
SECTION 1 Identification of the	article and	of the c	:ompany/ui	ndertaking		
1.1 Product identifier						
	: Acrylic Topo					
Identification of the	Product Nar	ne: Grar	iol KR			
product	Product Cod	de: ESPS	/A-TC/~~/***	**		
Type of product	: N/A					
1.2 Relevant identified uses of t Use	he substance, Organic ren		e or article a	nd uses advised a	against	
1.3 Details of the supplier of the	safety data s	sheet				
	SPS Envirow					
	Lonsdale Ch					
	Lonsdale St					
	Stoke on Tre	ent				
	ST4 6ER	.1				
	United King Email: info@		rowall co.uk			
	Telephone: (
	relephone.	0010100	0000			
1.4 Emergency telephone No.	NHS : 111					
ECTION 2 Hazards identificati						
2.1 Classification of the substan						
Hazard class and category	Product is n		fied as hazar	dous		
code regulation EC1272/2008 (CLP):						
2.2 Label elements						
Labelling regulation (EC)	Hazard picto	oarams.	none			
1272/2008 (CLP)	Precautiona	rv state	ments: none			
,_,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Hazard state					
					H-isothiazol-3-one, a mixture of	
		ol- 3-one	/ 2-Methyl-2	2H -Isothiazol-3-o	ne (3: 1) (CMIT / MIT). May cause	e an allergic
	reaction.	atu data	choot availa	blo op roguast		
	EUH ZIU Sai	ety data	i sheet avalla	ble on request.		
2.3 Other hazards	Environmen	tal infor	mation: Not a	applicable		
				Toxic): Not appli		
	vPvB (very l	Persister	nt very Bioac	cumulative): Not	applicable	
ECTION 3 Composition/inform	nation on ing	gredien	ts			
Components	<u> </u>		1			
Substance Name	CAS No	EC No		Index Number		
	1		by Weight %	(REGULATION (EC) No	(REGULATION (EC) No 1272/2008)	
			70	1272/2008)	1272/2008)	
	55005 04 0	611	0.001050/		A	
Mixture of 5-Chloro-2-			0.00105%	613-167-00-5	Acute Tox.3 H301,	
Methyl-2H-Isothiazol-3- one/2-Methyl-2HIsothiazol-		341-5			Acute Tox.3 H311, Acute Tox.3 H331	
					Skin Cor. 1B H315	
5 516 5.					Aquatic Acute 1 H400 (M=10)	
	1				Aquatic Chronic 1 H 410 (M=1)	
	1				Skin Sens.1A H317	
				017 115 5 5		-
2-octyl-2H-isothiazol-3-one	26530-20-1		<0.0050%	613-112-00-5	Acute Tox.3 H311	
	1	761-7			Acute Tox.2 H330,	
					Skin Cor. 1B H314,	
	1				Eye Dam.1 H318, Aquatic Acute 1 H400 (M=10)	The full text of
	1				Aquatic Acute 1 H400 (M=10) Aquatic Chronic 1 H 410 (M=1)	the H-statement
					Acute Tox.4 H302,	can be found in
					Skin Sens.1A H317	section 16.

918-668-5

< 1,5 %

< 1%

265-199-0

919-

446-0

Skin Sens.1A H317

Asp.Tox.1 H304, STOT SE 3 H335 H336 Flam Liq 3 H226, Aquatic Chronic 2 H411,

Asp.Tox.1 H304, STOT SE 3 H336, STOT RE 1 H372

Flam Liq 3 H226, Aquatic Chronic 2 H411,





ECTION 4 First aid measures				
4.1 Description of first aid measu				
	Show the safety data sheet to the physician.			
Eye contact:	Do not rub eyes as additional mechanical damage to the cornea is possible. Remove contact lenses if possible, then rinse the eyes immediately and abundantly with clear water for several minutes, keeping the eyelids wide apart. Move the eyes in all directions, taking care to remove all traces of product. Seek medical advice.			
Skin contact:	Carefully and gently brush the contaminated body surfaces with water and soap.			
Ingestion:	Clean mouth with water. If symptoms persist consult a Physician. Remove patient to fresh air. If symptoms persist consult a Physician.			
	d effects, both acute and delayed No other information is available			
4.3 Indication of any immediate	medical attention and special treatment needed No other important information is available.			
ECTION 5 Fire-fighting measu				
General Information:				
5.1 Extinguishing media: 5.2 Special hazards arising from	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.			
5.2 Special nazarus ansing from	Hazardous combustion products: Thermal decomposition of admixtures (200°C min): formation of CO, CO2. Do not breathe fumes			
5.3 Advice for fire-fighters	Protective equipment: Wear autonomous insulating breathing apparatus to enter the smoky local. Environmental precautions: Do not pour fire extinguishing water into sewers or waterways.			
ECTION 6 Accidental release r				
	tive equipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation.			
	Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Wear suitable protective equipment (see section 8)			
6.2 Environmental precautions	Dilute with plenty of water. Do not allow to enter sewers / surface or ground water.			
6.3 Methods and material for cor	itainment and cleaning up			
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus). Was the residue from the contaminated area with plenty of water. Then place them in a container for disposal in accordance with local regulations.			
6.4 Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.			
ECTION 7 Handling and storag 7.1 Precautions for safe handling				
	Provide nearby water stations for regular use. Use in well-ventilated area. Fire prevention: There are no specific measures. Recommended equipment and procedures: Avoid contact with skin and eyes. Wash hands after handling. Remove and wash contaminated clothing before reuse. For personal safety, see section 8 Observe precautions stated on label and also industrial safety regulations. Prohibited equipment and procedures: Smoking, eating and drinking are prohibited in premises where the preparation is used.			
7.2 Conditions for safe storage, i	ncluding any incompatibilities			
	Keep the container tightly closed. Protect from frost. Store in the original, closed packaging in a dry cool and well-ventilated place. Keep away from frost, heat and direct sunlight. Keep out of reach of children.			
Packaging: 7.3 Specific end use(s)	Store only in an upright position in closed containers. There is no other important information available.			
ECTION 8 Exposure controls/p				
8.1 Control parameters				
	Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.			
8.2 Exposure controls				
General Safety and Hygeine Measures:	The usual precautions for handling chemicals should be followed. Take off contaminated clothing immediately. Wash hands before breaks and after handling the product. Avoid mucous, eyes and hands contact. Use a skin moisturizer if necessary after using the product.			
Engineering controls	Make sure there is adequate ventilation or that there is an exhaust air system in the workplace.			
Individual protection controls:	Salety Pictograms:			

TECHNICAL



SECTION 8 Exposure controls/p	personal p	rotection	CONT			
	Avoid con	tact with th	ne skin and ey			
			th safety glov			where for unitain in the ownert of precise tion in the
	Envisage in the vicinity a clean water container or an ocular fountain in the event of projection in the eyes.					cular fountain in the event of projection in the
						al a caracter Mitches als
Protection of Hands:						ed contact with hands. on the material, but also on further marks of
	quality and	d varies fro	m manufactu	rer to manufa	cturer. /	As the product is a preparation of several
	substances, the resistance of the glove material can't be calculated in advance and has therefore to be checked before use.					
	ре спеске	a before us	se.			
Body Protection:				dered overall	-	
						dy should be washed.
Bespiratory protection:			•			al conditions of use and where there is
Respiratory protection.		ventilation.		it is required i	mionia	al conditions of use and where there is
SECTION 9 Physical and chemic	al proper	ties				
Appearance:	-					
	According	•	cation			
Odour: Odour Threshold:	Characteri					
pH value:		mileu				
Fusion Point:		ble				
Boiling Point:	100°C					
Flash point:						
Evaporation rate:			1			
Flammability(Solid, Ignition Termperature:			lammable suc	ostance).		
Danger of Explosion:			sent an explo	sion hazard		
Explosion limits:		•	Lower: Not de			
Vapour pressure at 20°C:	23 hPa					
Vapour density:						
Relative Density:		mined				
Densité at 20 °C: Solubility in / Miscibility		ble				
with water:		DIC.				
Partition coefficient (n-	Not Deter	mined				
octanol/water):						
	Not Determined					
temperature:	Not Determined					
Viscosity:						
Dynamic at 20°C						
	Not Determined					
9.2 Other information	Not Determined No further relevant information available.					
SECTION 10 Stability and reacti						
10.1 Reactivity:		relevant ir	nformation av	ailable.		
10.2 Chemical stability:	The prepa safety dat		able at the ha	ndling and sto	orage co	onditions recommended per Section 7 of the
10.3 Possibility of hazardous	-		ons known.			
reactions:	No dunger	ousreaction				
10.4 Conditions to avoid:	Fears frost, temperatures above 35 ° C and					
10.5 Incompatible materials:	No further relevant information available.					
10.6 Hazardous decomposition products:	No dangerous decomposition products known under recommended storage and handling conditions.					
SECTION 11 Toxicological inform	nation					
11.1 Information on toxicological						
Acute toxicity:		Chimical name	LD50 Oral	LD50 Dermal	LD50 Inhalation	
	EINECS/ 215-185-5 CAS : 1310-73-2	Natriumhydroxid	LD50 rat (oral)1350 mg/kg		Not determinated	
	INDEX/613-167-00-	Mixture of 5-Chloro- 2-Methyl-2H-	LD50 rat (oral) > 66	LD50 rat (dermal):> 141	Not	
	CE : 611-341-5 CAS / 55965-84-9	Isothiazol-3-one/2- Methyl-2H-Isothiazol- 3-one 3:1	mg/kg	mg/kg	applicable	
	: No information available.					
• • •	No information available.					
	No information available. No information available.					
	No information available.					
	No information available.					
	No information available.					
	No information available.					
•	: No information available. There are no data for the mixture itself.					
11.2 Mixture	illere dre	no uala IOf	the mixture i	ILSEII.		

TECHNICAL INFORMATION



SECTION 12 Ecological information

SECT	FION 12 Ecological informa	tion					
12.1	Toxicity No further relevant information available.						
	.2 Persistence and degradability No further relevant information available.						
12.3	Bioaccumulative potential	No further relevant information available.					
	Mobility in soil	No further relevant information available.					
	2.5 Results of PBT & vPvB assess Not Applicable						
-	.6 Other adverse effects No further relevant information available.						
SECT	FION 13 Disposal considera						
	Waste treatment methods:	It is recommended to avoid or limit as much as possible the generation of waste. Recycle packaging waste. Consider incineration or landfill only if recycling is not possible.					
		Dispose of the product in accordance with local regulations. Do not allow to enter sewers or waterways.					
	Contaminated packaging:	Disposal must be made according to official regulations.					
SECT	FION 14 Transport informat						
14.1	UN number (ADR, ADN, IMDG, IATA)	Not concerned					
14.2	UN proper shipping name (ADR, ADN, IMDG, IATA)	Not concerned					
14.3	Transport hazard class(es) (ADR, ADN, IMDG, IATA)	Not concerned					
14.4	Packaging group (ADR, ADN, IMDG, IATA)	Not concerned					
	Environmental hazards	Not concerned					
	Special precautions for user						
14.7	14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code						
		Not concerned					
	FION 15 Regulatory information						
15.1	Safety, health and environme	ental regulations/legislation specific for the substance or mixture					
	Additional Information on VOC:	EU limit value for this product according to directive 2004/42 /CE (catA/a : 30gr/l) This product contains a maximum of 30gr/l.					
	Other:	Not applicable					
15.2	2 Chemical safety assessment: No further relevant information available.						
	-						
SECT	FION 16 Other information						
	The product must not be used for any purp	know by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. boses other than those specified under heading 1 without first obtaining written handling instructions. It is at all times the responsibility of the user to a legal requirements and local regulations. The information given on this safety data sheet must be regarded as a description of the safety ot a guarantee of its properties					
	Method used to determine the hazard classification: by calculation Safety data sheets are drawn up by: Département R&D Cantillana N.V. Origin of the data used: This safety data sheet was produced on the basis of the information provided by the raw material suppliers.						

H-phrases mentioned in sections 2 and 3:

H-phrsses mentioned in sections 2 and 3: H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H314 Causes be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage H315 Causes skin irritation. H317 May cause an allergic skin reaction H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H374 May cause drowsiness or dizziness. H372 Causes damage to organs through prolonged or repeated exposur H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long-lasting effects.	Abbreviations and acronyms CAS Chemical Abstracts Service N°CE European Chemical number: EINECS, ELINCS or NLP PBT Persistant, Bioaccumulable & toxique vPvB Very Persistent and very Bioaccumulable ADR Accord européen sur le transport des marchandises dangereuses par Route RID Règlement international concernant le transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA International Air Transport Association ICAO International (vii Aviation Organization GHS Globally Harmonized System of Classification and Labelling of Chemicals WGW Valeur déterminée légalement / Legally determined value IMDG International Maritime Code for Dangerous Goods IATA International Air Transport Organisation e. LC50 Lethal concentration 50% LD50 Lethal cose Effect Concentration VOC Volatile organic compounds Acute Tox.3 Acute toxicity - Catégory 1 Aquatic Chronic 1 Acrones quatic toxicity - Catégory 1 Aquatic Chronic 2 Chronic aquatic toxicity - Catégory 1 Aquatic Chronic 2 Chronic aquatic toxicity - Catégory 2 Skin Sens.1A Skin sensibility - Catégory 1A Asp.Tox.1 Aspiration Toxicity catégorie 1 STOT SE 3 Specific target organ toxicity - Repeated exposure, catégory 1 Flam Liq 3 Flammable liquid and vapor - Catégory 3
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arrising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

SPS Envirowall Ltd nor any other subsidiary of the Benx Group will be held accountable for any damage resulting from handling or from contact with the above product. This data sheet and the information it contains is not intended to supersede any terms or conditions of sale and does not constitute a specification. Nothing contained herein is to be construed as a recommendation for use in violation of any patent or applicable laws or regulations.



