

Declaration of Performance

DoP No:	RCM0005
Product Description	Calcium Silicate Fibre Cement Board
Brand name and/or product code	RCM Y-Wall
Intended use in accordance with hEN as foreseen by manufacturer:	External sheathing applied to lightweight steel and timber frame solutions, fire rated partitions and OEM applications
Registered trade name of manufacturer and contact address:	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke on Trent, ST4 4BT
System of assessment and verification of consistency of performance of named product(s):	AVCP System 4
Harmonised Standard:	The Manufacturer has undertaken self-declaration having carried out ITT and FPC conformity requirements of EN 12467. Notified Body Intertek CE 21020801662U-001

Declared performance		
Essential characteristic	Performance	Harmonised technical specification
Mechanical resistance	Class 3	BS EN 12467:2018
Reaction to fire	A1	BS EN 13501-1:2018
Water permeability	Pass	BS EN 12467:2018
Durability against warm water	Pass	BS EN 12467:2018
Durability against soak/dry	Pass	BS EN 12467:2018
Durability against freeze/thaw	Pass	BS EN 12467:2018
Durability against heat/rain	Pass	BS EN 12467:2018

The performance of RCM Y-Wall is in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of Roofing & Cladding Materials Ltd.

Signed for and on behalf of Roofing & Cladding Materials Ltd.

Dr K. Ruane

Dr Kevin Ruane - Group Chief Executive Officer