


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension



Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## EXTERNAL CORNER

(Symmetrical)

Used to provide protection of Supertech plank at external corners 3000mm long.



Benx Ltd, Lonsdale Chambers,  
Lonsdale Street,  
Stoke-on-Trent  
Staffordshire  
ST4 4BT  
Telephone: 0845 130 0983  
Email:  
[technicalservices@benx.co.uk](mailto:technicalservices@benx.co.uk)

REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN:
A	16/01/23	First Issue	MB	PROJECT:	Through The Wall System Accessories	ISO No: 5245
				DRAWING No:	TWS01-ACC-01	
				DESCRIPTION:	EXTERNAL CORNER	
						DATE:
						Jan 23
						REV:
						A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension



Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## EXTERNAL CORNER/WINDOW REVEAL

( Asymmetrical)

Used to provide protection of Supertech plank at corners into window reveals 3000mm long.



Benx Ltd, Lonsdale Chambers,  
Lonsdale Street,  
Stoke-on-Trent  
Staffordshire  
ST4 4BT  
Telephone: 0845 130 0983  
Email:  
[technicalservices@benx.co.uk](mailto:technicalservices@benx.co.uk)

REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN:
A	11/01/23	First Issue	MB	PROJECT:	Through The Wall System Accessories	MB
					ISO No: 5245	CHECK:
						MT
				DRAWING No:	TWS01-ACC-02	NTS@A4
				DESCRIPTION:	EXTERNAL CORNER/WINDOW REVEAL	DATE:
						Jan 23
						REV:
						A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## STOPEND & BATTEN COVER PROFILE

Finishing profile where the end batten needs to be covered to provide a neat finish.

  	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>		REV A	DATE 11/01/23	NOTE First Issue	BY MB	STATUS: INFORMATION PROJECT: Through The Wall System Accessories DRAWING No: TWS01-ACC-03 DESCRIPTION: STOPEND & BATTEN COVER PROFILE	ISO No: 5245 DATE: Jan 23 REV: A
								DRAWN: MB
								CHECK: MT
								NTS@A4

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).



## EXTERNAL CORNER JOINTING INSERT

Used to join External symmetrical and asymmetrical corner profiles.  
(Trims 300mm Long)

  	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>		REV A	DATE 11/01/23	NOTE First Issue	BY MB	STATUS: INFORMATION PROJECT: Through The Wall System Accessories DRAWING No: TWS01-ACC-04 DESCRIPTION: EXTERNAL CORNER JOINTING INSERT	ISO No: 5245 DATE: Jan 23 REV: A
								CHECK: MT
								NTS@A4

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## INTERNAL CORNER

Used to provide a junction at Supertech plank  
Internal corners 3000mm long.

 the future of façades  	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>		REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN: MB
			A	11/01/23	First Issue	MB	PROJECT: Through The Wall System Accessories	ISO No: 5245	CHECK: MT
							DRAWING No: TWS01-ACC-05		NTS@A4
							DESCRIPTION: INTERNAL CORNER		DATE: Jan 23
									REV: A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.


## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## JOINTING DETAIL

Used as a vertical jointing detail.

  	<b>Benx Ltd, Lonsdale Chambers,</b> Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>		REV A	DATE 11/01/23	NOTE First Issue	BY MB	STATUS: PROJECT: Through The Wall System Accessories DRAWING No: TWS01-ACC-06 DESCRIPTION: JOINTING DETAIL	INFORMATION ISO No: 5245	DRAWN: MB CHECK: MT NTS@A4 DATE: Jan 23 REV: A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.

## LEGEND


\* Denotes critical dimension

\*\* Denotes run-out non-critical dimension






Coated face

- NOTE:-**  
PPC finished (for supertech colour range contact technical services).
- Trims available in 3 Meter lengths.



## STARTER PROFILE

Used to commence a run of  
Supertech plank 3000mm long.

  	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>		REV A	DATE 11/01/23	NOTE First Issue	BY MB	STATUS: INFORMATION PROJECT: Through The Wall System Accessories DRAWING No: TWS01-ACC-07 DESCRIPTION: STARTER PROFILE	ISO No: 5245 DATE: Jan 23 REV: A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.

## LEGEND


\* Denotes critical dimension

\*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## END PROFILE

Used to provide termination of Supertech plank at internal corners when meeting other finishes 3000mm long.

 the future of façades   	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: <a href="mailto:technicalservices@benx.co.uk">technicalservices@benx.co.uk</a>	REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN: MB
		A	11/01/23	First Issue	MB	PROJECT: Through The Wall System Accessories	ISO No: 5245	CHECK: MT
						DRAWING No: TWS01-ACC-08		NTS@A4
						DESCRIPTION: END PROFILE		Jan 23
								A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.




## LEGEND

- \* Denotes critical dimension
- \*\* Denotes run-out non-critical dimension






Coated face

1. **NOTE:-**  
PPC finished (for supertech colour range contact technical services).
2. Trims available in 3 Meter lengths.



## CONNECTION PROFILE

End trim to terminate Supertech plank into a window reveal or soffit 3000mm long.

 the future of façades   	Benx Ltd, Lonsdale Chambers, Lonsdale Street, Stoke-on-Trent Staffordshire ST4 4BT Telephone: 0845 130 0983 Email: technicalservices@benx.co.uk	REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN: MB
		A	11/01/23	First Issue	MB	PROJECT: Through The Wall System Accessories	ISO No: 5245	CHECK: MT
						DRAWING No: TWS01-ACC-09		NTS@A4
						DESCRIPTION: EXTERNAL CORNER BAY		DATE: Jan 23
								REV:

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.

## LEGEND


\* Denotes critical dimension

\*\* Denotes run-out non-critical dimension



Coated face

- NOTE:-**  
PPC finished (for supertech colour range contact technical services).
- Trims available in 3 Meter lengths.



## EXTERNAL CORNER BAY

Used to provide a neat finish to the external corners of a bay window.



Benx Ltd, Lonsdale Chambers,  
Lonsdale Street,  
Stoke-on-Trent  
Staffordshire  
ST4 4BT  
Telephone: 0845 130 0983  
Email:  
[technicalservices@benx.co.uk](mailto:technicalservices@benx.co.uk)

REV	DATE	NOTE	BY	STATUS:	INFORMATION	DRAWN:
A	11/01/23	First Issue	MB	PROJECT:	Through The Wall System Accessories	ISO No: 5245
				DRAWING No:	TWS01-ACC-09	CHECK:
				DESCRIPTION:	EXTERNAL CORNER BAY	MT
						NTS@A4
						DATE:
						Jan 23
						REV:
						A

All performance data & systems specifications are for systems constructed with materials & components as shown. The inclusion or substitution of any other manufactures materials or components invalidates both test data, system performance and compliance with CDM 2015. The information is provided and based upon details received which are assumed to include all the relevant facts and data. While it is believed to be correct, we accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. Acceptance of the content and subsequent design responsibility rests entirely with the recipients. Any subsequent design changes that affect the detail which we are not informed of in a written format will void this detail. None of the content may be copied without the prior approval from the Benx Group Technical Services Department. This statement should be read in conjunction with the standard terms and conditions of Benx Group.